

DS-D5055UC 54.6" 4K Monitor




Key Features

- Designed for surveillance, high reliability and stability
- 4K resolution is 4 times 1080P can own broader view and more abundant details
- IPS panel, display picture perfectly
- HDMI support up to 4K@60Hz
- Multiple inputs: HDMI, VGA, RJ45, USB
- Build-in speaker, Audio 8W*2
- Narrow front Bezel

Interfaces

NO.	Description
1	RS232
2	HDMI 2.0*2
3	VGA
4	LAN
5	Audio out
6	Audio in
7	USB3.0*1 /USB2.0*1



www.hikvision.com

Specifications

Model	DS-D5055UC	
Backlight	D-LED	
Screen Size	54.6 inch	
Pixel Pitch	0.315mm (H) * 0.315mm(W)	
Max Resolution	3840 * 2160	
Brightness	400 cd/m ² (Typ.)	
Contrast	1200:1	
Response Time	8ms	
Color	1.07billion	
Active Area	1209.6mm(H) * 680.4 mm(V)	
Viewing Angle	Horizontal 178°, Vertical 178°	
Interfaces	HDMI 2.0	2
	VGA	1
	LAN	1
	Audio out	1
	Audio in	1
	USB3.0*1 /USB2.0*1	2
	RS232	1
Power Supply	AC 100~240V, 50/60 Hz	
Power Consumption	≤180W	
Standby Power Consumption	0.5W	
Loudspeaker	8W*2	
Working Temperature	0°C ~ 40°C	
Working Humidity	20% - 80%RH(No Condensation)	
Storage Temperature	-20°C ~ +60°C	
Storage Humidity	10% - 90%RH(No Condensation)	
Color of Casing	Black	
VESA	400mm*200mm/400mm*400mm	
Dimensions(W*H*D)	1239.2mm*711.6mm*61.7 mm	
Packing Dimensions(W*H*D)	1365mm*864mm*185 mm	
Gross Weight	20.7kg	
Net Weight	16Kg	
Accessories	Power cord	1
	Battery	1
	Remote Control	1
	User manual	1
	HDMI cable	1
Bracket	Pedestal	NA
	Wall mounted	Optional DS-DM4255W
*Note	All specifications mentioned above are subject to the actual product	

Dimensions (unit: mm)

