


# DS-KD-KK/S

## Video Intercom Nametag Module


**HIKVISION**



### Key Feature

- Dial the resident at one touch
- Backlight compensation
- Easy to and extend

### Typical Application



|       |                                                                                                                     |
|-------|---------------------------------------------------------------------------------------------------------------------|
| UL    | UL 60950-1 & CAN/CSA C22.2 No. 60950-1-07, Information Technology Equipment – Safety – Part 1: General Requirements |
| ROHS  | 2011/65/EU                                                                                                          |
| REACH | Regulation (EC) No 1907/2006                                                                                        |
| WEEE  | 2012/19/EU                                                                                                          |

### Approval

|             |                                                                                                                                                                     |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CE-EMC      | <ul style="list-style-type: none"> <li>a. EN 55032:2015</li> <li>b. EN 61000-3-2:2014</li> <li>c. EN 61000-3-3:2013</li> <li>d. EN 50130-4:2011 +A1:2014</li> </ul> |
| CE-LVD      | EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013                                                                                                           |
| CB          | IEC 60950-1:2005 (Second Edition) + Am 1:2009 + Am 2:2013                                                                                                           |
| FCC-SDOC    | 47 CFR Part 15, Subpart B                                                                                                                                           |
| C-TICK(EMC) | AS/NZS CISPR 32:2015                                                                                                                                                |


## Specification

| System parameters   |                                                      |
|---------------------|------------------------------------------------------|
| Processor           | Embedded MCU Processor                               |
| Interfaces          |                                                      |
| Module-connecting   | 2 (1 input, 1 output)                                |
| Debug               | 1                                                    |
| General             |                                                      |
| Physical button     | 6                                                    |
| DIP switch          | 8                                                    |
| Power supply        | Powered by DS-KD8003-IME1                            |
| Power consumption   | ≤ 2 W                                                |
| Working temperature | -40° C to +55° C (-40° F to 131° F)                  |
| Working humidity    | 10% to 95%                                           |
| IP protection level | IP65                                                 |
| Installation        | Flush mounting, surface mounting                     |
| Dimension           | 98.2 mm × 100.2 mm × 33.7 mm (3.87" × 3.95" × 1.33") |
| Material            | Stainless steel                                      |

## Available Model


DS-KD-KK/S

## Appearance and Interfaces



| No. | Description                          |
|-----|--------------------------------------|
| 1   | Call Button                          |
| 2   | Nametag                              |
| 3   | Module-connecting Interface (output) |
| 4   | Module-connecting Interface (input)  |
| 5   | Debug Port                           |

## Dimension




## Accessory

### Optional




DS-KD-ACF1/Plastic



DS-KD-ACF2/Plastic



DS-KD-ACF3/Plastic



DS-KD-ACW1




DS-KD-ACW2



DS-KD-ACW3



DS-KD-ACF1/S



DS-KD-ACF2/S



DS-KD-ACF3/S



DS-KD-ACW1/S



DS-KD-ACW2/S



DS-KD-ACW3/S

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (0)1 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-[0]31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com