Product ID: UD-TP-27



UltraDish™TP 27


PARABOLIC DISH ANTENNA WITH TWISTPORT™ CONNECTOR

UltraDish™ TP 27 is designed for subscriber module applications. Minimized sidelobes, wide frequency bandwidth, and stable gain in both polarizations assure dependable performance. Antenna reflector is made of aluminium to ensure a low weight and uniform shape. Our proprietary TwistPort™ waveguide connector enables intuitive radio connection and replacement.


Massive mount with improved grip and a wide range of applicable pole diameters makes the deployment easy and versatile. Stainless hardware comes with black coating to prevent from seizing at the installation.




Gain H




Azimuth Pattern H




Elevation Pattern H




Gain V



Azimuth Pattern V



Elevation Pattern V



Product Datasheet



PHYSICAL

Antenna Connection	TwistPort™ - Quick Locking Waveguide Port	
Antenna Type	Parabolic Dish	
Materials	UV Resistant ABS Plastic, Polycarbonate, Aluminium, Stainless Steel	
Enviromental	IP65	
Pole Mounting Diameter	40-80 mm (we recommend as close to 80mm as possible)	
Temperature	-40 °C to +60 °C (-40°F to +140°F)	
Wind Survival	160 km/hour	
Wind Loading	314 N at 160 km/hour	
Weight	3.7 Kg / 8 lbs – single unit (one antenna) 10.6 Kg / 23 lbs – 2PACK (2 units) incl. package	
Dimensions	Retail Box 2PACK: 630 x 620 x 165 mm / 24.8 x 24.4 x 6.5 inch	

PERFORMANCE


Gain	27.5 dBi
Frequency Range	5180 - 6400 MHz
Azimuth Beam Width -6 dB	H 10°/V 9°
Elevation Beam Width -6 dB	H 9° / V 10°
Azimuth Beam Width -3 dB	H 7°/V 6°
Elevation Beam Width -3 dB	H 6°/V 7°
Beam Efficiency**	61%
Front-to-Back Ratio (Min)	37 dB


COMPATIBLE WIRELESS PLATFORMS


any TwistPort™ Adaptor


any SIMPER™ Radio


PRODUCT DIMENSIONS











**Beam efficiency defined up to first null

2/3 UltraDish™TP Rev 05-2021

RF elements®, UltraDish™ and TwistPort™ are trademarks of RF elements s.r.o., Slovakia. All rights of respective trademark owners reserved. © RF elements 2021





3D RADIATION DIAGRAM

SCALE: 30dBi

COMPATIBLE WITH: ADOBE ACROBAT READER DC. NOT SUPPORTED ON MOBILE. USE MOUSE TO ROTATE THE DIAGRAM. SCROLL IN/OUT TO ZOOM IN/OUT

dBi





FRONT BACK RIGHT	T LEFT	UP	DOWN
------------------	--------	----	------