


UniFi® Protect



UniFi Protect G4-Bullet Camera

The UniFi Protect Camera G4 Bullet delivers clear 4MP, 24 fps video over Gigabit Ethernet. The ball joint mount design allows indoor or outdoor installation and offers flexible 3-axis adjustment. The camera has infrared LEDs with an automatic IR cut filter for day and night surveillance. It features a built-in microphone and supports 802.3af PoE for power.



Mechanical

Dimensions	Ø75 x 140 mm (Ø2.95 x 5.51")
Weight	Without Mount: 458 g (1.01 lb) With Mount: 520 g (1.15 lb)
Enclosure Material	Aluminum Alloy
Mounting Materials	Aluminum Alloy, Polycarbonate
Weatherproofing	IPX4
Resistance	IK04

Optics

Sensor	5 MP CMOS Sensor
Lens	Fixed Focal Length
View Angle	H: 86°, V: 60°, D: 111°
Night Mode	Built-in Light Sensor Built-in IR LED Illumination and IR Cut Filter

Video

Video Compression	H.264
Resolution	2688 x 1512 (16:9)
Maximum Frame Rate	24 FPS
Image Settings	Brightness, Contrast, Sharpness, Saturation, Noise Reduction, 50/60 Hz

System

Processor Specs	Ambarella Advanced Image Processing SoC
Memory Information	512 MB DDR3L
Management Interface	UniFi Protect
Networking Interface	RJ45, 10/100/1000 Mbps Ethernet
Flash Memory Support	256 MB
Max. Power Consumption	4W
Power Method	802.3af PoE
Supported Voltage Range	802.3af PoE
Button	Factory Reset Button
Operating Temperature	-20 to 40° C (-4 to 104° F)
Operating Humidity	0 to 90% Noncondensing



Audio

Microphone	Yes (Can be Disabled in Software)
------------	-----------------------------------

Software

Controller Software	UniFi Protect
---------------------	---------------

Mobile Apps	UniFi Protect iOS and Android
-------------	-------------------------------

